

\_ ...




FIG. 2




FIG. 3

	FILE NAME	SAVING CONDITION	FILE DATE	ORIGINAL
(0)	e:¥mydata¥ src.java		2000/05/04	← SAVING
(1)	d:¥rikreki 1¥ src.java	DESIGNATE	2000/04/30	FILE
(2)	d:¥rikreki 2¥ src.java	DESIGNATE	2000/05/02	
(3)	d:¥rikreki 3¥ src.java	DESIGNATE	2000/05/04	

## FIG. 4A

#### (1) EXAMPLE OF FILE SAVING TABLE

ITEM CONDITION	
DATE INFORMATION	BEF0RE 2000/05/01

### (2) ANOTHER EXAMPLE OF FILE SAVING CONDITION TABLE

ITEM	CONDITION
DATE INFORMATION	BEF0RE 2000/05/02

### (3) FURTHER EXAMPLE OF FILE SAVING CONDITION TABLE

ITEM	CONDITION
DATE INFORMATION	AFTER 200/05/03

FIG. 4B

	FILE NAME	SAVING CONDITION	FILE SIZE		ORIGINAL
(0)	e:¥mydata¥mydata. html		1.5 MB	<b>←</b>	SAVING
(1)	d:¥sizecheck¥ mydata. html	DESIGNATE	0.9 MB		—FILE

# FIG. 5A

## (1) FURTHER EXAMPLE OF FILE SAVING ONDITION TABLE

ITEM	CONDITION
FILE SIZE	WITHIN O.5 MB

FIG. 5B

	FILE NAME	SAVING CONDITION	IMPLEMENTOR	
(0)	e: ¥mydata¥mydata. html		SUZUK∣ ←	ORIGINAL SAVING
(1)	d:¥suzuki¥ mydata. html	DESIGNATE	SUZUKI	FILE

# FIG. 6A

## (1) FURTHER EXAMPLE OF FILE SAVING CONDITION TABLE

ITEM	CONDITION
IMPLEMENTOR INFORMATION	SUZUKI

FIG. 6B





FIG. 7



F I.G. 8

FILE (#)   EDIT(E) DISPLAY(W) TOOL(T)   HELP (#)	APPLICATION					×
ABSENT — DELETE READ PRESENT READ ABSENT ABSENT — DELETE READ ABSENT ABSENT ABSENT ON CONDITION  COMBITION	:ILE (F)		T00L (T)	HELP (H)		
SAVING FILE NAME  SAVING FILE NAME  SAVING FILE NAME  SAVING FILE NAME  ATTRIBUTE  CFYMORFYGAVELET  ABSENT  ABSENT  ABSENT  ABSENT  ABSENT  ABSENT  O K	PLURAL SAVI	NG DESIGNATION SCREEN		1		
SAVING FILE NAME ATTRIBUTE CONDITION ATTRIBUTE CONDITION YEAR HEAD PRESENT ASSENT	DESTINATI	<u></u>		REFER .		
SAVING FILE NAME ATTRIBUTE CONDITION  d:*work*save.txt ABSENT - e-*public*hidex.txt READ PRESENT E-*Work*save.txt ABSENT ABSENT C:*work*save.txt ABSENT OK	FILE NAME					
G:¥work*save.txt ABSENT —  E:¥public-¥index.txt READ PRESENT  #¥Atranta *work*work.txt ARCH VE ABSENT  C:¥work*save.txt ABSENT  ABSENT  OK	SAVE	SAVING FILE NAME	ATTRIBUTE	CONDITION	ADD	
e:*public*findex.txt READ PRESENT ####################################	0	d:¥work¥save.txt	ABSENT	ı		_
C:#work*save.txt ABSENT ABSENT O K	۷	e:*public*Index.txt	READ	PRESENT	DELETE	*
	7	++Auania +work+work.txt c:*work*save.txt	ABSENT	ABSENT	SAVING	
				O X	CANCEL	

F I G. 9




FIG. 10

	FILE NAME	UPDATIN	IG DATE	SIZE	IMPLEMEN- TOR	
(1)	e: ¥public¥index.txt	2000/04/19	10:00:00	1.2 MB	SUZUKI	
(2)	d:¥work¥save.txt	2000/04/19	10:00:00	0.5 MB	SUZUKI	

FIG. 11

AVING FILE NAME	SAVING FILE NAME
ILE ATTRIBUTE	FILE ATTRIBUTE
SAVING CONDITION	SAVING CONDITION
INTER-LINK INFORMATION FOR RELATED FILES	INTER-LINK INFORMATION FOR RELATED FILES
PLURAL SAVING INFORMATION	PLURAL SAVING INFORMATION

FIG. 12

FILE ATTRIBUTE : READ ONLY
THE ATTRIBUTE . READ UNET
FILE ATTRIBUTE : COVERT FILE
FILE ATTRIBUTE : ARCHIVE
FILE ATTRIBUTE : SYSTEM

FIG. 13A

SAVING CONDITION : DATE INFORMATION

SAVING CONDITION : FILE SIZE

SAVING CONDITION : IMPLEMENTOR INFORMATION

FIG. 13B

ITEM	CONDITION		
DATE INFORMATION	AFTER BEFORE	2000/05/01 2000/05/10	10:00:00 0:00:00
FILE SIZE	WITHIN 1 MB		
IMPLEMENTOR INFORMATIO	SUZU	(I OR 鈴木	

FIG. 14





FIG. 15

:



F1G. 16